


Barnacle Bay

QUILT 1



Featuring fabrics from the **Barnacle Bay** collection by **Debi Hubbs** for 

Fabric Requirements

(A) 3200P-11	1 panel	(G) 3206-90	5/8 yard*
(B) 3204-99	1/3 yard	Backing	
(C) 3207-17	1/4 yard	3202-11	3 yards
(D) 3201-11	1 1/2 yards		
(E) 3207-44	1/3 yard	*Includes binding	
(F) 3203-19	1/2 yard		

Additional Supplies Needed

Batting 51" x 64"
Piecing and sewing thread
Quilting and sewing supplies

Pattern Information

Quilt designed by Megan Downer
Finished Quilt Size 42 1/2" x 56"
Skill Level: Beginner

Cutting

Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (3200P-11 Panel – Aqua), cut:

- (1) 23" x 36 ½" panel.

Fabric B (3204-99 Sand Dollars – Gray), cut:

- (2) 2" x 36 ½" WOF strips.
- (2) 2" x 26" WOF strips.

Fabric C (3207-17 Wash – Turq.), cut:

- (2) 1 ½" x 38 ½" WOF strips.
- (2) 1 ½" x 27" WOF strips.

Fabric D (3201-11 Beachcombers – Aqua), cut:

- (2) 4 ½" x 40 ½" LOF strips.
- (2) 4 ½" x 35" WOF strips.

Fabric E (3207-44 Wash – Sand), cut:

- (3) 1 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut
- (2) 1 ½" x 48 ½" strips.
- (2) 1 ½" x 37" WOF strips.

Fabric F (3203-19 Stripe – Teal/Gray), cut:

- (3) 3" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 3" x 50 ½" strips.
- (2) 3" x 42" WOF strips.

Fabric G (3206-90 Dots – Gray), cut:

- (5) 1" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1" x 55 ½" strips and (2) 1" x 43" strips.
- (5) 2 ½" x WOF strips for the binding.

Backing (3202-11 Whales - Aqua), cut:

- (2) 51" x WOF strips. Sew the strips together and trim to 51" x 64" for the back.

Sewing

Sew using a $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Block Assembly

1. Sew (1) $2" \times 36\frac{1}{2}"$ Fabric B strip to each side of the $23" \times 36\frac{1}{2}"$ Fabric A panel. Sew (1) $2" \times 26"$ Fabric B strip to the top and to the bottom of the Fabric A pane. Trim the block to measure $25" \times 38\frac{1}{2}"$ to make the Center Block (Fig. 1).




Fig. 1

Quilt Top Assembly

(Follow the Quilt Layout while assembling the quilt top).

2. Sew (1) $1\frac{1}{2}" \times 38\frac{1}{2}"$ Fabric C strip to each side of the Center Block. Sew (1) $1\frac{1}{2}" \times 27"$ Fabric C strip to the top and to the bottom of the Center Block.
3. Sew (1) $4\frac{1}{2}" \times 40\frac{1}{2}"$ Fabric D strip to each side of the Center Block. Sew (1) $4\frac{1}{2}" \times 35"$ Fabric D strip to the top and to the bottom of the Center Block.
4. Sew (1) $1\frac{1}{2}" \times 48\frac{1}{2}"$ Fabric E strip to each side of the Center Block. Sew (1) $1\frac{1}{2}" \times 37"$ Fabric E strip to the top and to the bottom of the Center Block.

5. Sew (1) 3" x 50 1/2" Fabric F strip to each side of the Center Block. Sew (1) 3" x 42" Fabric F strip to the top and to the bottom of the Center Block.

6. Sew (1) 1" x 55 1/2" Fabric G strip to each side of the Center Block. Sew (1) 1" x 43" Fabric D strip to the top and to the bottom of the Center Block to make the quilt top.


Layering, Quilting and Finishing

7. Press the quilt top and 51" x 64" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Binding

8. Cut the ends of the (5) Fabric G binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.

9. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.



Quilt Layout