

Funny Farm

QUILT 2



Featuring fabrics from the **Funny Farm** collection by **Diane Eichler** for **STUDIO·e·fabrics**

Fabric Requirements

(A) 3400P-14	1 panel	(K) 1351-Red**.....	½ yard
(B) 3395-66	⅓ yard	(L) 1351-Lt. Teal**..	½ yard
(C) 3399-11	⅓ yard	(M) 1351-Sunshine**	⅓ yard
(D) 3399-44	⅓ yard	(N) 1351-Teal**.....	1 yard*
(E) 3396-11	⅓ yard	(O) 1351- Lt. Lime**	½ yard
(F) 3398-66	⅓ yard	(P) 1351-Orange**..	½ yard
(G) 3396-66	⅓ yard	(Q) 1351-Blush**....	½ yard
(H) 3395-1	⅓ yard	Backing	
(I) 3397-11	1 ⅛ yards	3399-14	3 ¼ yards
(J) 1351-Grass**.....	½ yard		

Additional Supplies Needed

Batting 58" x 70"
Piecing and sewing thread
Quilting and sewing supplies

Pattern Information

Quilt designed by Heidi Pridemore
Finished Quilt Size 50" x 62"
Skill Level: Advanced Beginner

*Includes binding

**Just Color! Collection

Cutting

Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (3400P-14 Panel – Multi):

- Fussy cut (12) 8 ½" panels.

Fabric B (3395-66 Farm Scene – Green), cut:

- (1) 8 ½" x WOF strip, sub-cut (2) 8 ½" squares.

Fabric C (3399-11 Tossed Animals – Blue), cut:

- (1) 8 ½" x WOF strip, sub-cut (3) 8 ½" squares.

Fabric D (3399-44 Tossed Animals – Yellow), cut:

- (1) 8 ½" x WOF strip, sub-cut (2) 8 ½" squares.

Fabric E (3396-11 Veggies – Blue), cut:

- (1) 8 ½" x WOF strip, sub-cut (2) 8 ½" squares.

Fabric F (3398-66 Words – Green), cut:

- (1) 8 ½" square.

Fabric G (3396-66 Veggies – Green), cut:

- (1) 8 ½" x WOF strip, sub-cut (2) 8 ½" squares.

Fabric H (3395-1 Farm Scene – White), cut:

- (1) 8 ½" square.

Fabric I (3397-11 Animal Faces – Blue):

- Fussy cut (6) 3 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (4) 3 ½" x 50 ½" strips.

Fabric J (1351-Grass Just Color! – Grass), cut:

- (2) 3" x WOF strips, sub-cut (8) 3" x 8 ½" strips.
- (3) 3" x WOF strips, sub-cut (8) 3" x 13 ½" strips.

Fabric K (1351-Red Just Color! – Red), cut:

- (2) 3" x WOF strips, sub-cut (6) 3" x 8 ½" strips.
- (2) 3" x WOF strips, sub-cut (6) 3" x 13 ½" strips.

Fabric L (1351-Lt. Teal Just Color! – Lt. Teal), cut:

- (2) 3" x WOF strips, sub-cut (6) 3" x 8 ½" strips.
- (2) 3" x WOF strips, sub-cut (6) 3" x 13 ½" strips.

Fabric M (1351-Sunshine Just Color! – Sunshine), cut:

- (1) 3" x WOF strip, sub-cut (4) 3" x 8 ½" strips.
- (2) 3" x WOF strips, sub-cut (4) 3" x 13 ½" strips.

Fabric N (1351-Teal Just Color! – Teal), cut:

- (2) 3" x WOF strips, sub-cut (8) 3" x 8 ½" strips.
- (3) 3" x WOF strips, sub-cut (8) 3" x 13 ½" strips.
- (6) 2 ½" x WOF strips for the binding.

Cutting - Continued

Fabric O (1351- Lt. Lime Just Color! – Lt. Lime), cut:

- (2) 3" x WOF strips, sub-cut (6) 3" x 8 ½" strips.
- (2) 3" x WOF strips, sub-cut (6) 3" x 13 ½" strips.

Fabric P (1351-Orange Just Color! – Orange), cut:

- (2) 3" x WOF strips, sub-cut (6) 3" x 8 ½" strips.
- (2) 3" x WOF strips, sub-cut (6) 3" x 13 ½" strips.

Fabric Q (1351-Blush Just Color! – Blush), cut:

- (2) 3" x WOF strips, sub-cut (6) 3" x 8 ½" strips.
- (2) 3" x WOF strips, sub-cut (6) 3" x 13 ½" strips.

Backing (3399-14 Tossed Animals – Multi), cut:


- (2) 58" x WOF strips. Sew the strips together and trim to 58" x 70" for the back.

Sewing

Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise indicated.


Block Assembly

1. Sew (1) 3" x 8 ½" Fabric J strip to each side of (1) 8 ½" Fabric A panel. Sew (1) 3" x 13 ½" Fabric J strip to the top and to the bottom of the Fabric A panel to make (1) JA block (Fig. 1).
2. Use a ruler and trim the JA block to measure 10 ½" x 10 ½" as shown in Figure 2 to make (1) Block One.



3. Sew (1) 3" x 8 ½" Fabric L strip to each side of (1) 8 ½" Fabric A panel. Sew (1) 3" x 13 ½" Fabric L strip to the top and to the bottom of the Fabric A panel to make (1) LA block. Repeat to make a second LA block.

4. Use a ruler and trim the LA blocks to measure 10 ½" x 10 ½" as shown in Figure 3 to make (2) Block Twos.



5. Sew (1) 3" x 8 1/2" Fabric N strip to each side of (1) 8 1/2" Fabric D square. Sew (1) 3" x 13 1/2" Fabric N strip to the top and to the bottom of the Fabric D square to make (1) ND block.

6. Use a ruler and trim the ND blocks to measure 10 1/2" x 10 1/2" as shown in Figure 4 to make (1) Block Three.




Fig. 4

7. Sew (1) 3" x 8 1/2" Fabric P strip to each side of (1) 8 1/2" Fabric E square. Sew (1) 3" x 13 1/2" Fabric P strip to the top and to the bottom of the Fabric E square to make (1) PE block. Repeat to make a second PE block.

8. Use a ruler and trim the PE blocks to measure 10 1/2" x 10 1/2" as shown in Figure 5 to make (2) Block Fours.




Fig. 5

9. Sew (1) 3" x 8 1/2" Fabric N strip to each side of (1) 8 1/2" Fabric A panel. Sew (1) 3" x 13 1/2" Fabric N strip to the top and to the bottom of the Fabric A panel to make (1) NA block. Repeat to make a second NA block.

10. Use a ruler and trim the NA block to measure 10 1/2" x 10 1/2" as shown in Figure 6 to make (2) Block Fives.




Fig. 6

11. Sew (1) 3" x 8 1/2" Fabric M strip to each side of (1) 8 1/2" Fabric B square. Sew (1) 3" x 13 1/2" Fabric M strip to the top and to the bottom of the Fabric B square to make (1) MB block.

12. Use a ruler and trim the MB block to measure 10 1/2" x 10 1/2" as shown in Figure 7 to make (1) Block Six.




Fig. 7

13. Sew (1) 3" x 8 1/2" Fabric O strip to each side of (1) 8 1/2" Fabric H square. Sew (1) 3" x 13 1/2" Fabric O strip to the top and to the bottom of the Fabric H square to make (1) OH block.

14. Use a ruler and trim the OH block to measure 10 1/2" x 10 1/2" as shown in Figure 8 to make (1) Block Seven.




Fig. 8

15. Sew (1) 3" x 8 1/2" Fabric J strip to each side of (1) 8 1/2" Fabric A panel. Sew (1) 3" x 13 1/2" Fabric J strip to the top and to the bottom of the Fabric A panel to make (1) JA block (Fig. 9). Repeat to make (3) JA blocks.

16. Use a ruler and trim the JA blocks to measure 10 1/2" x 10 1/2" as shown in Figure 10 to make (3) Block Eights.




Fig. 9




Fig. 10

17. Sew (1) 3" x 8 1/2" Fabric K strip to each side of (1) 8 1/2" Fabric B square. Sew (1) 3" x 13 1/2" Fabric K strip to the top and to the bottom of the Fabric B square to make (1) KB block.

18. Use a ruler and trim the KB block to measure 10 1/2" x 10 1/2" as shown in Figure 11 to make (1) Block Nine.




Fig. 11

19. Sew (1) 3" x 8 1/2" Fabric M strip to each side of (1) 8 1/2" Fabric C square. Sew (1) 3" x 13 1/2" Fabric M strip to the top and to the bottom of the Fabric C square to make (1) MC block.

20. Use a ruler and trim the MC block to measure 10 1/2" x 10 1/2" as shown in Figure 12 to make (1) Block Ten.




Fig. 12

21. Sew (1) 3" x 8 ½" Fabric N strip to each side of (1) 8 ½" Fabric A panel. Sew (1) 3" x 13 ½" Fabric N strip to the top and to the bottom of the Fabric A panel to make (1) NA block.

22. Use a ruler and trim the NA block to measure 10 ½" x 10 ½" as shown in Figure 13 to make (1) Block Eleven.




Fig. 13

23. Sew (1) 3" x 8 ½" Fabric O strip to each side of (1) 8 ½" Fabric A panel. Sew (1) 3" x 13 ½" Fabric O strip to the top and to the bottom of the Fabric A panel to make (1) OA block. Repeat to make a second OA block.

24. Use a ruler and trim the OA blocks to measure 10 ½" x 10 ½" as shown in Figure 14 to make (2) Block Twelves.




Fig. 14

25. Sew (1) 3" x 8 ½" Fabric Q strip to each side of (1) 8 ½" Fabric F square. Sew (1) 3" x 13 ½" Fabric Q strip to the top and to the bottom of the Fabric F square to make (1) QF block.

26. Use a ruler and trim the QF block to measure 10 ½" x 10 ½" as shown in Figure 15 to make (1) Block Thirteen.




Fig. 15

27. Sew (1) 3" x 8 ½" Fabric Q strip to each side of (1) 8 ½" Fabric C square. Sew (1) 3" x 13 ½" Fabric Q strip to the top and to the bottom of the Fabric C square to make (1) QC block.

28. Use a ruler and trim the QC block to measure 10 ½" x 10 ½" as shown in Figure 16 to make (1) Block Fourteen.




Fig. 16

29. Sew (1) 3" x 8 1/2" Fabric K strip to each side of (1) 8 1/2" Fabric G square. Sew (1) 3" x 13 1/2" Fabric K strip to the top and to the bottom of the Fabric G square to make (1) KG block.

30. Use a ruler and trim the KG block to measure 10 1/2" x 10 1/2" as shown in Figure 17 to make (1) Block Fifteen.

Block Fifteen
make 1




Fig. 17

31. Sew (1) 3" x 8 1/2" Fabric L strip to each side of (1) 8 1/2" Fabric A panel. Sew (1) 3" x 13 1/2" Fabric L strip to the top and to the bottom of the Fabric A panel to make (1) LA block.

32. Use a ruler and trim the LA block to measure 10 1/2" x 10 1/2" as shown in Figure 18 to make (1) Block Sixteen.

Block Sixteen
make 1




Fig. 18

33. Sew (1) 3" x 8 1/2" Fabric Q strip to each side of (1) 8 1/2" Fabric D square. Sew (1) 3" x 13 1/2" Fabric Q strip to the top and to the bottom of the Fabric D square to make (1) QD block.

34. Use a ruler and trim the QD block to measure 10 1/2" x 10 1/2" as shown in Figure 19 to make (1) Block Seventeen.

Block Seventeen
make 1




Fig. 19

35. Sew (1) 3" x 8 1/2" Fabric K strip to each side of (1) 8 1/2" Fabric C square. Sew (1) 3" x 13 1/2" Fabric K strip to the top and to the bottom of the Fabric C square to make (1) KC block.

36. Use a ruler and trim the KC block to measure 10 1/2" x 10 1/2" as shown in Figure 20 to make (1) Block Eighteen.

Block Eighteen
make 1




Fig. 20

37. Sew (1) 3" x 8 ½" Fabric P strip to each side of (1) 8 ½" Fabric G square. Sew (1) 3" x 13 ½" Fabric P strip to the top and to the bottom of the Fabric G square to make (1) PG block.

38. Use a ruler and trim the PG block to measure 10 ½" x 10 ½" as shown in Figure 21 to make (1) Block Nineteen.

Block Nineteen
make 1




Fig. 21

Quilt Top Assembly

(Follow the Quilt Layout while assembling the quilt top.)

39. Sew (5) assorted blocks together to make (1) row. Repeat to make (5) rows total.

40. Sew the (5) rows and (4) 3 ½" x 50 ½" Fabric I strips together, alternating them, to make the quilt top.


Layering, Quilting and Finishing

41. Press the quilt top and 58" x 70" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Binding

42. Cut the ends of the (6) Fabric N binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.

43. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.



Quilt Layout